


Kove 800 X Rally

ID:3077335



- | | | |
|--|--|--|
| 1 Luggage plate

1x | 2 Right bracket

1x | 3 Left bracket

1x |
| 4 Spacer sleeve

d9xD18.5xH39 2x | 5 Bolt

M8x20-DIN 7991 2x | 6 Nut

M8-DIN 985 2x |
| 7 Washer

M8-DIN 7349 4x | 8 Bolt

M8x16 -DIN 7380 2x | 9 Bolt

M8x60 -DIN 7991 2x |

	Steel 8.8	Steel 10.9
M4	2,7	4
M5	5,5	8
M6	9,7	13,7
M8	23	33
M10	47	66
M12	80	116
M14	130	184
M16	196	287
M18	270	395
M20	385	560

 Fig.1

Read before installation
 All bolts have to be finally tighten after installation all parts on vehicle.

 one person
  use a medium-strength
  tighten with torque
 OEM Original Equipment Manufacturer



!!! Initially, attach the screws loosely.

After assembling everything together, tighten them with the appropriate force.

follow  yakkexp join #yakkherd

Remove the seat. Install **[2]** Right bracket and **[3]** Left bracket in the indicated positions, tightening with **[8]** Bolts (M8x16-DIN 7380) through **[7]** Washers (M8-DIN 7349). Mount **[1]** Luggage plate, fastening it to **[2]** Right bracket and **[3]** Left bracket with **[9]** Bolts (M8x60-DIN 7991) and using **[4]** Spacer sleeve (d9xD18.5xH39). At the rear of **[1]** Luggage plate, fasten **[5]** Bolts (M8x20-DIN 7991) to **[2]** Right bracket and **[3]** Left bracket, tightening from below with **[6]** Nuts (M8-DIN 985) and **[7]** Washers (M8-DIN 7349). Apply medium-strength thread locker at the locations indicated in the illustrations. Align all components with the motorcycle's center axis and tighten all bolts to the specified torque. **[Fig.1],[Fig.2]**





Fig.2



Kove 800X Rally

ID:3077334 / ID:3077335 / ID:2951911



1 Yaak exp ID: 3077335

Parts used from product

2 Yaak exp ID: 3077334

Parts used from product

3 Yaak exp ID: 2951911

	Steel 8.3	Steel 10.9
M4	2,7	4
M5	5,5	8
M6	9,7	13,7
M8	23	33
M10	47	66
M12	80	116
M14	130	184
M16	196	287
M18	270	395
M20	385	560



Fig. 3

Read before installation.

one person
 use a medium-strength
 tighten with torque
 OEM Original Equipment Manufacturer

