




## ***Ibex450 – Ranger Wilds Enduro 40 Installation Guide***

- Each side bag should not exceed a loaded weight of 5.4 kg (12 lbs).
- Before riding, make sure all buckles are securely fastened and any excess strap ends are rolled up and secured using the provided velcro strap ties. This prevents anything from catching on the motorcycle or coming into contact with the exhaust. We also recommend checking all straps periodically during your ride to ensure nothing has shifted or come loose.
- For the Ibex 450, the pannier hooks must be mounted to the center-most strap loops on the middle base plate. Using the outer loops may cause the bags to sit too wide and come into contact with the exhaust.




1

Mounting the bag using the outermost strap loop—even when empty—will cause it to come into contact with the exhaust. This hook position is not suitable for use on CFMoto motorcycles. Please refer to the attached images for clarification.



2

With a load of 5.4 kg (12 lbs) per bag, the bags may maintain sufficient clearance from the exhaust during normal riding when mounted in the center position. However, if the clearance is as minimal as shown in the photo, there is a significant risk that the bags may shift closer to the exhaust over bumps or uneven terrain. For this reason, this mounting configuration is not recommended for use on CFMoto motorcycles, as it may result in the bags coming into contact with the exhaust and causing damage.



3

With a load of 5.4 kg (12 lbs) per bag, mounting the bags using the center-most strap loops provides sufficient clearance from the exhaust. As shown in the photos, this configuration creates a safe distance between the bags and the exhaust and is the recommended setup for use on CFMoto motorcycles.

