

RW12/24/40

RANGER WILDS ENDURO 12/24/40

USER MANUAL




Safety Warning

- Safety first. Please read this manual carefully before installation. Incorrect installation may cause the panniers to detach while riding and lead to a serious accident.
- When installing or removing the panniers, make sure the motorcycle is stable, for example use the center stand, and turn off the engine.
- Regularly check all connection points such as hooks, straps, and buckles for wear or damage to ensure they are in good condition before long rides.
- Keep the panniers and straps away from the exhaust, wheels, chain, brake discs, and all moving or high temperature components.
- Distribute items evenly inside the bags. Avoid having the center of gravity too high or too much to one side.



Parts Checklist


- Before starting the installation, please confirm that you have received all of the following components:






Installation Steps

- This section is the core of the installation process. The text should match the images step by step, following the sequence "Step 1, Step 2, Step 3...".
- Be sure to distinguish the left and right sides according to the direction facing the front of the motorcycle.




STEP1

Position the handle of the middle base plate toward the rear of the motorcycle. Attach the panels to the base plate according to the width of the rear seat, noting that the panels are divided into left and right sides as determined by facing the front of the motorcycle.




STEP2

Detach the buckle from the straps on the back of the mounting harness. Thread the straps through the two holes at the top of the panel, then reattach the buckle. (Note: For the RW40, the reflective arrow on the mounting harness pointing toward the front of the motorcycle indicates the left side.)



STEP3

Pass the straps on both sides of the mounting harness through the corresponding holes on the panel. For double-hole positions, thread through both holes, keeping the straps above the panel. Then fasten using the matching hook buckles on the straps.




STEP4

For single-hole positions, thread the strap so it stays behind the panel, then fasten using the corresponding hook buckle on the strap. Finally, insert and secure the waterproof inner liner.



STEP5


Pass the upper straps of the panel through a suitable mounting point on the luggage rack, secure them to the slots on the middle base plate, then tighten and neatly stow the excess strap length.



STEP6

Pass the lower straps of the panel through a suitable mounting point, then fasten them to the buckles on the panel straps.

Note: The above installation uses the RW40 as an example. The RW12 and RW24 follow the same process, however for the RW12 and RW24, the bags themselves do not require left and right differentiation during installation.



STEP5

Installation process for motorcycles using the Westwind mounting point system. If the luggage rack on your motorcycle does not allow the straps to pass through, you can use Westwind mounting pins for a better mounting result.

Installation process

First, attach the mounting points to the luggage rack. Then remove the hook-shaped buckles from the upper straps on the base plate, pass them through the hook-shaped buckles on the mounting points, and reattach them back to the base plate.



Maintenance and Care

- **Cleaning :** Wipe the surface with a damp cloth and mild soap, then let it air dry naturally. Do not machine wash.
- **Storage :** Store in a cool, dry place and avoid long-term exposure to direct sunlight.
- **Inspection :** Regularly check the stitching, straps, buckles, and hooks for signs of wear or corrosion.



After-Sales Service

Westwind Moto: Your Ride, Our Commitment

Built for the Long Haul & Backed for Life

At Westwind Moto, we pour relentless dedication into every stitch and seam. Our gear is crafted to endure the harshest adventures, and we stand firmly behind it with two core commitments designed for riders:

- **1. Our Lifetime Craftsmanship Promise:**

The Guarantee: Every Westwind Moto product carries our Lifetime Warranty against defects.
Covered: Failures directly caused by flaws in materials or factory workmanship.
Our Action: We will repair or resolve the issue at no cost to you.

- **2. Our Lifelong Ride Protection:**

- **The Situation:** Accidents happen, even to the toughest gear. If your Westwind Moto luggage or apparel is functionally damaged in a crash – anytime, anywhere in its life.

- **Our Support:**

First Option: One free repair to restore full functionality.
Second Option: If the damage is beyond repair, receive a 50% discount on a current replacement.

- **Focus:** This pledge covers crash-induced functional impairment only.

- **Understanding Coverage:**

Lifetime Craftsmanship Promise: Addresses inherent manufacturing flaws.
Lifelong Ride Protection: Addresses functional failure from riding accidents.
Not Covered by Either: Routine wear and tear, surface scuffs/scratches (cosmetic damage), or natural breakdown over time.

- **How We Stand By You:**

Encounter an issue? Reach out to our Rider Support team (ridersupport@WestwindMoto.com) . We'll guide you through the simple steps to evaluate your gear under the relevant commitment and get you back on the trail.



website



 www.westwindmoto.com